


LARGE GLEAMS SPECIFICATIONS

DESCRIPTION



GENERAL INFORMATION

SKU:	SML-1502
Collection:	Large Gleams
Class:	Ceiling, Chandelier, SMLD400
Materials:	Glass, metal
UL, CSA ID	E300046-0002-C00

COMPONENTS	
Pendant sizes	3.5x2.36xH9" I 9x6xH22 cm
Weight:	3 lb (Single pendant, including all parts) I 1.36 kg
Ceiling plate shape	Square I Round I Rectangle I triangle I ring I oval
Ceiling plate material	Metal, 0.04" I 0.1cm
Ceiling plate size:	Width + Length: Made to order I Depth: 1.575In I 4cm
Ceiling plate finish:	17 options to choose from: Finish options
Cords	Tinned copper covered transparent Teflon
Cords length	Up to 35ft long I 10m. Pre-set in cascading different lengths Adjustable
Compatible with:	Slope I peaked I skylight I beam

LAMPING SPEC	
Bulb type:	Self-ballasted lamp led. GU10 
Wattage (single bulb)	7w
Input voltage	AC 110-240V

Lumens (single bulb)	570 lumens
Color temperature:	3000k warm white
Dimming	Yes
Bulb included	Yes
CRI	80
Driver requires:	No
Beam Angle	38°
Lifespan(Hrs)	>15,000
Maintenance	Low, Easy to replace, Available in stores

ELECTRICAL REQUIREMENTS - INSTALLATION	
Max wattage (single bulb):	7W
Voltage:	120/240V
Location:	Dry location only
Power Source:	Hardwired
Wiring:	Single electrical outlet
Dimming:	Dimmable, any dimming switch, TRIAC included
Electrical rating:	Input: 120Vac, 60Hz, 0.61A.
Assembly Required:	Glasses

Installation instructions:	https://did.li/CiGlC
Ceiling back plate:	https://did.li/Gyqaa
UL CSA Approval:	https://did.li/fopaa